SAFETY DATA SHEET

Red Pine Tar

The safety data sheet is in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance / mixture and of the company / undertaking

Date issued 06.09.2016

1.1. Product identifier

| Product name | Red Pine Tar |
|---------------|--------------|
| Chemical name | Pine Tar |
| Article no. | 60510 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Use of the substance / | Wood protection Impregnation |
|--------------------------|--|
| preparation | |
| Relevant identified uses | SU21 Consumer uses: Private households (= general public = consumers)SU22 Professional uses: publicly accessible (administration, education, entertainment, |
| | services, craftsmen)PC9 Coatings and Paints, Fillers, Putties, Thinners |

1.3. Details of the supplier of the safety data sheet

Manufacturer

| Company name | Auson AB |
|------------------|----------------------|
| Postal address | Verkstadsgatan 3 |
| Postcode | S-434 42 |
| City | KUNGSBACKA |
| Country | SVERIGE |
| Telephone number | +46 300-562000 |
| Fax | +46 300-562021 |
| Email | nina.nyth@auson.se |
| Website | http://www.auson.se/ |
| Contact person | Nina Nyth |

1.4. Emergency telephone number

| Emergency telephone | Telephone number: 112 |
|---------------------|------------------------|
| | Description: SOS Alarm |

SECTION 2: Hazards identification

2.1. Classification of substance or mixture

| Classification according to 67/548/EEC or 1999/45/EC | Xi; R43 |
|--|--|
| | R52/53 |
| Classification according to Regulation (EC) No 1272/ | Skin Sens. 1; H317 |
| 2008 [CLP / GHS] | Aquatic Chronic 3; H412 |
| Substance / mixture haz- ardous properties | Risk for spontaneous combustion if linseed oil is absorbed by porous organic material (cotton waste or rag). This oxidation, which give rise to heat can happen even at room temperature, but raised temperature increases the risk. |

2.2. Label elements

| EC label | Yes | | | |
|--------------------------|---|--|--|--|
| Hazard pictograms (CLP) | | | | |
| | | | | |
| Composition on the label | Pine Tar 60 – 70 %, Diiron trioxide 20 %, Linseed oil, boiled 10 – 20 %, 2-Ethylhexanoic acid, zirconium salt < 0,1 %, Fatty acids, C6-19-branched, cobalt(2+)salts < 0,1 % | | | |
| Signal word | Warning | | | |
| Hazard statements | H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. | | | |
| Precautionary statements | P102 Keep out of reach of children. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P333+P313 If skin irritation or rash occurs: Get medical advice / attention. P501 Dispose of contents at hazardous or special waste collection point. | | | |
| VOC | Product subcategory : Interior and exterior minimal build woodstains Relevant VOC limit values: 700 g/l Maximum content of VOC: <300 g/l | | | |

2.3. Other hazards

| Description of hazard | May cause sensitisation by skin contact. | |
|-----------------------|--|--|
| Other hazards | None | |

SECTION 3: Composition / information on ingredients

3.2. Mixtures

| Substance | Identification | Classification | Contents |
|-----------|--------------------|-------------------------|-----------|
| Pine Tar | CAS No.: 8011-48-1 | Xi; R43 | 60 – 70 % |
| | EC No.: 232-374-8 | R52/53 | |
| | | Skin Sens. 1;H317 | |
| | | Aquatic Chronic 3; H412 | |

| Diiron trioxide | CAS No.: 1309-37-1 EC No.: 215-168-2 | | 20 % |
|---|--|--|-----------------|
| Linseed oil, boiled | CAS No.: 8001-26-1 EC No.: 232-278-6 | | 10 – 20 % |
| 2-Ethylhexanoic acid, zirconi- um salt | CAS No.: 22464-99-9 EC No.: 245-018-1 | Rep 3; R63 Repr. 2; H361fd | < 0,1 % |
| Fatty acids, C6-19-branched, cobalt(2+) salts | CAS No.: 68409-81-4 EC No.: 270-066-5 | Xn; R22 Xi; R38,R43 N; R51/53 Acute tox. 4; H302 Skin Irrit. 2; H315 Skin Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 Asp. tox 1; H304 | < 0,1 % |
| Remarks, substance | See section 16 for explanation of Risk-phrases (R) and hazard statements (H) listed above. | | zard statements |
| Substance comments Contains tall oil pitch, rosin acids, neutral matters such as fatty alcohols ar and a small amount of terpenes (CAS-nr 8006-64-2, EG-nr 232-350-7) | | | |

SECTION 4: First aid measures

4.1. Description of first aid measures

| Inhalation | Fresh air. |
|--------------|---|
| Skin contact | Wash the skin with water and soap. Remove contaminated clothing. |
| Eye contact | Flush immediately with water for at least 5 minutes. Get medical attention if any discomfort continues. |
| Ingestion | Give water to drink if the affected person is fully conscious. Never give anything by mouth to an unconscious person. DO NOT INDUCE VOMITING! Immediately consult a doctor. |

4.2. Most important symptoms and effects, both acute and delayed

| General symptoms and ef- | The most important known symptoms and effects are described in the labelling (see |
|--------------------------|---|
| fects | section 2.2). |

4.3. Indication of any immediate medical attention and special treatment needed

Specific details on antidotes No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Dry chemical, foam or carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards Combustible. Not flammable.

5.3. Advice for firefighters

Personal protective equip-
mentGeneral: Evacuate all personnel, use protective equipment for fire fighting. Use a
portable breathing apparatus when the product is involved in a fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal protection measures Use appropriate protective equipment.

6.2. Environmental precautions

Environmental precautionary Do not allow spill to enter sewers or watercourses. measures

6.3. Methods and material for containment and cleaning up

Cleaning method

Collect with absorbent, non-combustible material into suitable containers. Destroy according to applicable regulations.

6.4. Reference to other sections

Other instructions See Section 8 and section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling Wear prescribed personal protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Storage Store in original container. No specific storage precautions.

7.3. Specific end use(s)

Specific use(s)

See Section 1.2

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

| Substance | Identification | Value | TWA Year |
|------------------------------|---------------------|----------------------|----------|
| Fatty acids, C6-19-branched, | CAS No.: 68409-81-4 | TWA (8h) : 100 mg/m³ | |
| cobalt(2+) salts | EC No.: 270-066-5 | TWA (8h) : 15 ppm | |
| | | OEL short term value | |
| | | Value: 200 mg/m³ | |
| | | OEL short term value | |
| | | Value: 30 ppm | |

DNEL / PNEC

| Summary of risk manage- ment measures, human | No information available. |
|---|---------------------------|
| Summary of risk manage- | No information available. |
| ment measures, environ- | |
| ment | |

8.2. Exposure controls

| Limitation of exposure on workplace | Provide good ventilation. |
|-------------------------------------|---------------------------|
| Safety signs | |
| | |

Respiratory protection

| Respiratory protection | No respirator is normally needed. If ventilation is insufficient, use a respirator with A filter. |
|------------------------|---|
| Hand protection | |
| Hand protection | Protective gloves must be used if there is a risk of direct contact or splashes. Use protective gloves made of: PVA (the glove must not come in contact with water), nitrile rubber. or viton rubber. |

Eye / face protection

| Eye protection | Wear approved, tight fitting safety glasses where splashing is probable. |
|----------------|--|
|----------------|--|

Skin protection

| Skin protection (except | Wear protective clothing as needed. |
|-------------------------|-------------------------------------|
| hands) | |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | Viscous liquid. |
|-------------------------------|---|
| Colour | Red |
| Odour | Characteristic. |
| рН | Status: In delivery state Value: ~ 4 |
| Boiling point / boiling range | Value: = 150 – 400 °C |
| Flash point | Value: > 80 °C |
| Specific gravity | Value: ~ 1200 kg/m³ Temperature: 20 °C |
| Solubility description | Soluble in organic solvents. Aromatic hydrocarbons. Ethanol |

Solubility in water

Insoluble in water

Spontaneous combustability Value: > 150 °C

9.2. Other information

Other physical and chemical properties

Comments

Stability

No further relevant information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No data available.

10.2. Chemical stability

Stable with normal handling.

10.3. Possibility of hazardous reactions

| Possibility of hazardous re- | No hazardous reactions known. |
|------------------------------|-------------------------------|
| actions | |

10.4. Conditions to avoid

Conditions to avoid Risk for spontaneous combustion if linseed oil is absorbed by porous organic material (cotton waste or rag). This oxidation, which give rise to heat can happen even at room temperature, but raised temperature increases the risk.

10.5. Incompatible materials

Materials to avoid Oxidizing agent.

10.6. Hazardous decomposition products

 Hazardous decomposition
 No formation of hazardous decomposition products are expected under normal conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity, Mixture estimate

Acute toxicity, human experience No aspiration hazards known.

Potential acute effects

| Inhalation | Headache. |
|--------------|--|
| Skin contact | Kan ge allergiskt kontakteksem efter upprepad kontakt. |
| Eye contact | May cause: Stinging. |

| Ingestion | May cause: Indisposition. Stomach pain. |
|----------------------------------|---|
| Skin corrosion / irritation, hu- | May cause an allergic skin reaction. |
| man experience | |

Delayed effects / repeated exposure

| Sensitisation | May cause sensitisation by skin contact. |
|------------------------|---|
| STOT-single exposure | Based on available data, the classification criteria are not met. |
| STOT-repeated exposure | Based on available data, the classification criteria are not met. |

Carcinogenic, Mutagenic or Reprotoxic

| Does not present any cancer or reproductive hazards. |
|---|
| |
| The chemical structure does not suggest a mutagenic effect. |
| |
| The chemical structure does not suggest such an effect. |
| |

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Toxic to aquatic organisms.

12.2. Persistence and degradability

Persistence and degradability, comments

12.3. Bioaccumulative potential

12.4. Mobility in soil

Water solubility Comments: Insoluble in water

12.5. Results of PBT and vPvB assessment

PBT assessment results The product does not contain any PBT or vPvB substance.

12.6. Other adverse effects

Other adverse effects, comments May cause long lasting harmful effects to aquatic life.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| Specify the appropriate | Dispose of in compliance with local regulations. |
|-------------------------|--|
| methods of disposal | |

| Product classified as haz- ardous waste | Yes |
|--|--|
| Packaging classified as haz- ardous waste | No |
| EWC waste code | EWC: 03 02 99 wood preservatives not otherwise specified |

SECTION 14: Transport information

14.1. UN number

Comments

Not classified as hazardous for transport.

14.2. UN proper shipping name

- 14.3. Transport hazard class(es)
- 14.4. Packing group
- 14.5. Environmental hazards
- 14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

| EEC-directive | 2006/121/2006 |
|------------------------------------|---|
| References (laws/regula- tions) | The product is classified and labelled in accordance with EEC guidelines or national legislation. |
| Legislation and regulations | Regulation (EC) nr. 1907/2006 Regulation (EC) nr. 1272/2008. |

15.2. Chemical safety assessment

Chemical safety assessment No performed

| SECTION 16: Other information | | |
|-------------------------------|---|--|
| R-phrases | R43 May cause sensitization by skin contact. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. | |
| S-phrases | S-2 Keep out of the reach of children. S-24 Avoid contact with skin. S-28 After contact with skin, wash immediately with plenty of water. S-37 Wear suitable gloves. S-46 If swallowed, seek medical advice immediately and show this container or label. S61 Avoid release to the environment. Refer to special instructions/safety data sheets. | |
| Supplier's notes | These data are based on our best knowledge to date, however they do not imply any guarantee on the properties or quality of the product. In case of uncertainties we advise you to make own tests or ask for written directions from us. | |

| List of relevant R-phrases (under headings 2 and 3). | R38 Irritating to skin. R43 May cause sensitization by skin contact. R63 Possible risk of harm to the unborn child. R22 Harmful if swallowed. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
|---|---|
| List of relevant H-phrases (Section 2 and 3) | H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H411 Toxic to aquatic life with long lasting effects. H319 Causes serious eye irritation. |
| Classification according to Regulation (EC) No 1272/ 2008 [CLP / GHS] | Skin Sens. 1; H317; Aquatic Chronic 3; H412; |
| Version | 7 |

Expired date 06.09.2019