Black Pine Tar - Version 10 Page 1 of 9

SAFETY DATA SHEET

Black Pine Tar

The safety data sheet is in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance / mixture and of the company / undertaking

Date issued 08.09.2016

1.1. Product identifier

Product name Black Pine Tar

Chemical name Pine Tar

Article no. 60500

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / preparation

Relevant identified uses

SU21 Consumer uses: Private households (= general public = consumers)SU22

Professional uses: publicly accessible (administration, education, entertainment, services, craftsmen)PC9 Coatings and Paints, Fillers, Putties, Thinners

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name Auson AB Postal address Verkstadsgatan 3 Postcode S-434 42 City KUNGSBACKA Country **SVERIGE** Telephone number +46 300-562000 Fax +46 300-562021 **Email** nina.nyth@auson.se Website http://www.auson.se/ Contact person Nina Nyth

1.4. Emergency telephone number

Emergency telephone Telephone number: 112
Description: SOS Alarm

Black Pine Tar - Version 10 Page 2 of 9

SECTION 2: Hazards identification

2.1. Classification of substance or mixture

Classification according to 67/548/EEC or 1999/45/EC

Xi; R43

R52/53

Classification according to Regulation (EC) No 1272/ 2008 [CLP / GHS] Skin Sens. 1; H317

Aquatic Chronic 3; H412

Substance / mixture hazardous properties

Risk for spontaneous combustion if linseed oil is absorbed by porous organic material (cotton waste or rag). This oxidation, which give rise to heat can happen even at room temperature, but raised temperature increases the risk.

2.2. Label elements

EC label

Yes

Hazard pictograms (CLP)



Composition on the label

Pine Tar 80 – 85 %, Linseed oil, boiled 10 – 15 %, Carbon black 5 %, 2-Ethylhexanoic

acid, zirconium salt < 0,1 %, Fatty acids, C6-19-branched, cobalt(2+)salts < 0,1 %,

2-butanone oxime < 0,1 %

Signal word Warning

Hazard statements H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting

effects.

Precautionary statements P102 Keep out of reach of children. P273 Avoid release to the environment. P280

Wear protective gloves/protective clothing. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P333+P313 If skin irritation or rash occurs: Get medical advice / attention. P501 Dispose of contents at hazardous or special waste collection point.

VOC Product subcategory : Interior and exterior minimal build woodstains

Relevant VOC limit values: 700 g/l Maximum content of VOC: <300 g/l

2.3. Other hazards

Description of hazard May cause sensitisation by skin contact.

Other hazards None

SECTION 3: Composition / information on ingredients

3.2. Mixtures

SubstanceIdentificationClassificationContentsPine TarCAS No.: 8011-48-1Xi; R4380 – 85 %

EC No.: 232-374-8 R52/53

Skin Sens. 1;H317 Aquatic Chronic 3; H412 Black Pine Tar - Version 10 Page 3 of 9

Linseed oil, boiled	CAS No.: 8001-26-1 EC No.: 232-278-6		10 – 15 %
Carbon black	CAS No.: 1333-86-4 EC No.: 215-609-9		5 %
2-Ethylhexanoic acid, zirconium salt	CAS No.: 22464-99-9 EC No.: 245-018-1	Rep 3; R63 Repr. 2; H361fd	< 0,1 %
Fatty acids, C6-19-branched, cobalt(2+) salts	CAS No.: 68409-81-4 EC No.: 270-066-5	Xn; R22 Xi; R38,R43 N; R51/53 Acute tox. 4; H302 Skin Irrit. 2; H315 Skin Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 Asp. tox 1; H304	< 0,1 %
2-butanone oxime	CAS No.: 96-29-7 EC No.: 202-496-6	Xn; R21,R40,R41,R43 Carc. 2;H351 Skin Sens. 1;H317 Eye Dam. 1;H318 Acute tox. 4;H312	< 0,1 %
Remarks, substance	See section 16 for explanation (H) listed above.	on of Risk-phrases (R) and haz	zard statements

SECTION 4: First aid measures

4.1. Description of first aid measures

Skin contact	Wash the skin with water and soap.
Eye contact	Flush immediately with water for at least 5 minutes. Get medical attention if any discomfort continues.
Ingestion	Give water to drink if the affected person is fully conscious. DO NOT INDUCE VOMITING! Immediately consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Information for health per-	Gently wash with plenty of soap and water.
sonnel	

4.3. Indication of any immediate medical attention and special treatment needed

Specific details on antidotes No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Dry chemical, foam or carbon dioxide (CO2).
Improper extinguishing media	Do not use a direct water jet that could spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	Combustible. Not flammable.
----------------------------	-----------------------------

Black Pine Tar - Version 10 Page 4 of 9

5.3. Advice for firefighters

Personal protective equipment

General: Evacuate all personnel, use protective equipment for fire fighting. Use a portable breathing apparatus when the product is involved in a fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal protection measures

Use appropriate protective equipment.

6.2. Environmental precautions

measures

Environmental precautionary Prevent discharge of significant quantities to drains.

6.3. Methods and material for containment and cleaning up

Cleaning method Collect the spillage into suitable containers. Destroy according to applicable

regulations.

6.4. Reference to other sections

Other instructions

See Section 8 and section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling Wear prescribed personal protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Storage No specific storage precautions. Store in original container.

7.3. Specific end use(s)

Specific use(s)

See Section 1.2

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Substance TWA Year Identification Value

Fatty acids, C6-19-branched, CAS No.: 68409-81-4 cobalt(2+) salts

EC No.: 270-066-5

TWA (8h): 100 mg/m³ TWA (8h): 15 ppm **OEL** short term value

Value: 200 mg/m3 **OEL** short term value

Value: 30 ppm

8.2. Exposure controls

Black Pine Tar - Version 10 Page 5 of 9

Limitation of exposure on workplace

Provide good ventilation. Eyewash facilities should be available at the workplace. Wash hands before breaks and at the end of workday.

Safety signs



Respiratory protection

Respiratory protection
No respirator is normally needed. If ventilation is insufficient, use a respirator with A

filter.

Hand protection

Hand protection

Protective gloves must be used if there is a risk of direct contact or splashes. PVA (the glove must not come in contact with water), nitrile rubber. or viton rubber.

Eye / face protection

Eye protection Wear approved, tight fitting safety glasses where splashing is probable.

Skin protection

Skin protection (except

Protective clothing as needed.

hands)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Viscous liquid.

Colour Black.
Odour Strong.

pH Status: In delivery state

Value: ~ 5

Boiling point / boiling range Value: = 150 – 400 °C

Flash point Value: ~ 80 °C

Specific gravity Value: ~ 1000 kg/m³

Temperature: 20 °C

Solubility description Soluble in organic solvents. Alcohol Insoluble in water.

Solubility in water Insoluble in water

Spontaneous combustability Value: > 150 °C

9.2. Other information

Other physical and chemical properties

Comments	No further relevant information available.
----------	--

Black Pine Tar - Version 10 Page 6 of 9

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No data available.

10.2. Chemical stability

Stability Stable with normal handling.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid Risk for spontaneous combustion if linseed oil is absorbed by porous organic material

(cotton waste or rag). This oxidation, which give rise to heat can happen even at room

temperature, but raised temperature increases the risk.

10.5. Incompatible materials

Materials to avoid Oxidizing agent.

10.6. Hazardous decomposition products

Hazardous decomposition products

No formation of hazardous decomposition products are expected under normal conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity, Mixture estimate

Acute toxicity, human expe-

No aspiration hazards known.

Potential acute effects

Inhalation May cause headache and dizziness.

Skin contact Irritating. May cause an allergic skin reaction.

Eye contact Irritation. Stinging.

Ingestion May cause: Indisposition.

Skin corrosion / irritation, hu-

man experience

May cause an allergic skin reaction.

Aspiration hazard Not classified.

Eye damage or irritation, hu-

man experience

Reliable information on eye effects is lacking. There is no reason to suspect such

effects, but handle it with care and report any symptoms or injuries to the manufacturer

or the distributor

Black Pine Tar - Version 10 Page 7 of 9

Delayed effects / repeated exposure

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenic, Mutagenic or Reprotoxic

Carcinogenicity, other information	Does not present any cancer or reproductive hazards.
Assessment of germ cell mutagenicity, classification	The chemical structure does not suggest a mutagenic effect.
Reproductive toxicity	The chemical structure does not suggest such an effect.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Toxic to aquatic organisms.

12.2. Persistence and degradability

Persistence and degradability, comments

Not readily degradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No further relevant infornation available. No further relevant infornation available.

12.4. Mobility in soil

Water solubility Comments: Insoluble in water

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Other adverse effects, comments

May cause long lasting harmful effects to aquatic life.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Specify the appropriate methods of disposal	Dispose of in compliance with local regulations.
Product classified as hazardous waste	Yes
Packaging classified as hazardous waste	No
EWC waste code	EWC: 03 02 99 wood preservatives not otherwise specified

Black Pine Tar - Version 10 Page 8 of 9

SECTION 14: Transport information

14.1. UN number

Comments Not classified as hazardous for transport.

- 14.2. UN proper shipping name
- 14.3. Transport hazard class(es)
- 14.4. Packing group
- 14.5. Environmental hazards
- 14.6. Special precautions for user
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

EEC-directive	2006/121/2006
References (laws/regulations)	The product is classified and labelled in accordance with EEC guidelines or national legislation.
Legislation and regulations	Regulation (EC) nr. 1907/2006 Regulation (EC) nr. 1272/2008.

15.2. Chemical safety assessment

Chemical safety assessment	No
performed	

SECTION 16: Other information

R-phrases	R-43 May cause sensitization by skin contact. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-phrases	S-2 Keep out of the reach of children. S-24 Avoid contact with skin. S-28 After contact with skin, wash immediately with plenty of water. S-37 Wear suitable gloves. S-46 If swallowed, seek medical advice immediately and show this container or label. S61 Avoid release to the environment. Refer to special instructions/safety data sheets.
Supplier's notes	These data are based on our best knowledge to date, however they do not imply any guarantee on the properties or quality of the product. In case of uncertainties we advise you to make own tests or ask for written directions from us.
List of relevant R-phrases (under headings 2 and 3).	R43 May cause sensitization by skin contact. R40 Limited evidence of a carcinogenic effect. R21 Harmful in contact with skin. R41 Risk of serious damage to eyes. R38 Irritating to skin. R63 Possible risk of harm to the unborn child. R22 Harmful if swallowed.

Black Pine Tar - Version 10 Page 9 of 9

	R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
List of relevant H-phrases (Section 2 and 3)	H318 Causes Serious eye damage. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H312 Harmful in contact with skin. H351 Suspected of causing cancer H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H411 Toxic to aquatic life with long lasting effects. H319 Causes serious eye irritation.
Classification according to Regulation (EC) No 1272/ 2008 [CLP / GHS]	Skin Sens. 1; H317; Aquatic Chronic 3; H412;
Version	10
Expired date	08.09.2019